

From:

[Norm Electrical Engineering](#)

23 Park View Road

N17 9AT

Tottenham/Haringey

London

02082458400

07724308998

info@normelectric.co.uk

Quote Number	QUO-2548
Quote Date	13/10/2025
Valid Until	28/10/2025
Total	£736.19

To:

Simple Plus Desing

32 Sterling Way, London N18 2XZ

020 3643 0285

info@simpleplusdesign.co.uk

Electrical Service - New Consumer Unit / Interlocked Socket Installation / New Radial Circuit for Interlocked Socket

Supply and installation of a new 18th Edition compliant consumer unit, interlocked socket outlet, and dedicated radial circuit. Works include all necessary wiring, testing, certification, and materials.

Hrs/Qty	Service	Rate/Price	Adjust	Sub Total
1	Material - Consumer unit Supply of a Consumer Unit fitted with main switch, MCBs, busbars, neutral and earth terminals, labels, and all necessary fixings. All materials comply with BS EN 61439-3 and the 18th Edition Wiring Regulations (BS 7671:2018+A2:2022).	£65.00	0%	£65.00

Thanks for choosing [Norm Electrical Engineering](#) | info@normelectric.co.uk Hope to work together on this projects .

Hrs/Qty	Service	Rate/Price	Adjust	Sub Total
1	Material -Flexi Double Insulated Meter Tail-32mm Tail Kit Gland – 2 x 25mm Tails & 1 x 16mm Earth Cable 1m x 25mm ² Flexi Double Insulated Meter Tail Pack Supply of 1 metre of 25mm ² flexible double-insulated meter tails, including live and neutral conductors. Suitable for connection between the main service head and consumer unit, compliant with BS 6004 and current 18th Edition wiring regulations. Supply of 32mm meter tail gland kit complete with 2 x 25mm double-insulated tails (live & neutral) and 1 x 16mm earth cable, all Low Smoke Zero Halogen (LS0H) type. Designed for secure and compliant termination of meter tails into consumer units or switchgear, in accordance with BS 7671 (18th Edition) requirements.	£42.00	0%	£42.00
1	Material - 6.0mm² 3 Core Butyl Flex cable Supply of 6.0mm ² 3 Core Butyl Flex 6383TQ Cable, black, cut to required length . Suitable for industrial and commercial electrical installations, providing high flexibility, heat resistance, and durability for fixed or portable equipment connections. Manufactured to BS 6004 standards and compliant with 18th Edition Wiring Regulations (BS 7671). 25mm IP68 Compression Gland LS0H c/w	£68.00	0%	£68.00

Thanks for choosing [Norm Electrical Engineering](http://normelectric.co.uk) | info@normelectric.co.uk Hope to work together on this projects .

Hrs/Qty	Service	Rate/Price	Adjust	Sub Total
1	Material-32A 230V Surface Interlocked Socket (2P+E 6H IP44) Supply 32A 230V surface-mounted interlocked socket, 2-pole + earth (2P+E) configuration, 6H position, rated IP44 for splash and dust protection. Designed for safe industrial and commercial power connections, preventing disconnection under load and ensuring compliance with BS EN 60309 and 18th Edition Wiring Regulations (BS 7671).	£63.20	0%	£63.20
1	Material-230V 32A 3-Pin Plug – Blue Supply of 230V 32 Amp 3-Pin Industrial Plug, blue, suitable for single-phase (2P+E) applications. Constructed from durable, high-impact materials with IP44 protection for safe indoor and outdoor use. Compliant with BS EN 60309 standards and suitable for use with 32A interlocked socket installations and heavy-duty electrical equipment connections.	£14.50	0%	£14.50
1	Consumer unit installation Installation of a new 18th Edition compliant consumer unit, including full testing, certification, and labelling. The installation includes all required materials such as main switch, MCBs/RCBOs, and circuit identification. Work carried out in accordance with BS 7671 (IET Wiring Regulations) and Building Regulations Part P. Upon completion, an Electrical Installation Certificate (EIC) and Napit Building Regulation Compliance Certificate will be issued.	£619.00	0%	£619.00

Thanks for choosing [Norm Electrical Engineering](http://normelectric.co.uk) | info@normelectric.co.uk Hope to work together on this projects .

Hrs/Qty	Service	Rate/Price	Adjust	Sub Total
1	Surface Interlocked Socket Installation - 32A 230V Installation of a 32A 230V surface-mounted interlocked socket (2P+E, 6H, IP44), including all necessary cabling, terminations, and testing. The interlocked socket ensures safe disconnection under load and is designed for industrial and commercial applications. Installation carried out in compliance with BS EN 60309 and 18th Edition Wiring Regulations (BS 7671). Includes connection to existing or new circuit, verification, and certification upon completion.	£180.00	0.00%	£180.00

Sub Total	£1,051.70
Tax	£0.00
Discount	-£315.51
Total	£736.19

This is a fixed price quote. If accepted, we require a 50% deposit upfront before work commences. If there is no other agreements. [Terms & Conditions](#)

Thanks for choosing [Norm Electrical Engineering](#) | info@normelectric.co.uk Hope to work together on this projects .